



Product Service

CERTIFICATE

No. Z2 017297 0515 Rev. 00

Holder of Certificate: **Huck Seiltechnik GmbH**
Netz- und Seilspielgeräte
Dillerberg 3
35614 Aßlar-Berghausen
GERMANY

HUCK
Seiltechnik

Certification Mark:



Product: **Playground equipment**
Swings

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 713176161-10

Valid until: 2025-04-14

Date, 2020-06-25

(Jens Biesenack)

CERTIFICATE

No. Z2 017297 0515 Rev. 00

Model(s): 4577-1-200, 4577-1-250, 4577-2-200, 4577-2-250
 4580-2-200, 4580-2-250, 4580-3-250, 4580-3-250V,
 4591-50-1, 4591-50-2, 4591-50-3, 4591-50-9
 4580-4B, 4580-5

Parameter:

4577-1-200 Douglas fir swing frame, Suspension height 2.00 m
 4577-1-250 Douglas fir swing frame, Suspension height 2.50 m
 4577-2-200 Douglas fir swing frame, long, Suspension height 2.00 m
 4577-2-250 Douglas fir swing frame, long, Suspension height 2.50 m

Art.-No.	4577-1-200 / 4577-1-250	4577-2-200 / 4577-2-250
Posts	Ø 160 mm	Ø 160 mm
Beam	Ø 180 mm	Ø 180 mm
Total height	2247 / 2755 mm	2247 / 2755mm
Suspension length	2000 / 2500 mm	2000 / 2500 mm
Total length	4140 mm	6914 mm
Total width	2570 / 2970 mm	2570 / 2970 mm

Material: Douglas fir, varnished
 Post shoe steel, hot-dip galvanised

4580-2-200 Steel tube swing frame, long, suspension height 2.00 m
 4580-2-250 Steel tube swing frame, long, suspension height 2.50 m
 4580-3-250 Junior swing frame made of steel for Bird's Nest
 4580-3-250V Junior swing frame made of steel for swing seats

Art.-No.	4580-2-200 / 4580-2-250	4580-3-250 / 4580-3-250V
Posts	Ø 102 mm	Ø 76 mm
Beam	100 x 100 mm	100 x 100 mm
Total height	2200 / 2600 mm	2752 mm
Suspension length	2100 / 2500 mm	2500 mm
Total length	6000 mm	3841 / 4041 mm
Total width	2220 / 2590 mm	3151 mm

Material: Steel, hot-dip galvanised

CERTIFICATE

No. Z2 017297 0515 Rev. 00

4591-50-1 Maxi easy-swing
 4591-50-2 Midi easy-swing
 4591-50-3 Honeycomb nest easy-swing
 4591-50-9 Swing bed easy-swing

Art.-No.	4591-50-1 / 4591-50-2	4591-50-3 / 4591-50-9
Posts	Ø 102 mm	Ø 102 mm
Beam	50 x 50 mm	-
Total height	2440 mm	2440 mm
Suspension length	2000 mm	Depending on seat type, so that ground clearance always > 400 mm
Total length	800 mm	Depending on seat type 1000 / 1800 mm
Total width	2311 mm	2511 / 26050 mm

Material: Steel, hot-dip galvanised

4580-4B Arch swing with buried ground anchors

Posts	Ø 140 mm
Beam	Ø 140 mm
Total length	3079 mm
Suspension length	2364 mm
Total length	3947 mm

Material: Steel, hot-dip galvanised

4580-5 Glasses frame

Dimensions (L x W x H): 6700 x 9000 x 2500 mm

Suspension length: 2200 mm

Material: Base frame (3 parts) made of steel hot-dip galvanised, incl. steel plates as base plates for dowelling.

The listed swing frames are only to be used in conjunction with certified (DIN EN 1176) swing seats.

Tested according to: DIN EN 1176-1:2017
 EN 1176-1:2017
 DIN EN 1176-2:2017
 EN 1176-2:2017

Production Facility(ies): 017297