



Product Service

CERTIFICATE

No. Z2 017297 0535 Rev. 00

Holder of Certificate:



SEILSPIELGERÄTE

Huck Seiltechnik GmbH

Netz- und Seilspielgeräte

Dillerberg 3
35614 Aßlar-Berghausen
GERMANY

Certification Mark:



Product:

Playground equipment

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 713383310-07

Valid until: 2030-11-25

Date, 2025-12-03

(Jens Biesenack)

CERTIFICATE

No. Z2 017297 0535 Rev. 00

Model(s):

Type: Swing frames

4576-1-220, 4577-1-200, 4577-1-250,
4577-2-200, 4577-2-250, 4580-2-200,
4580-2-250, 4580-3-250, 4591-50-1,
4591-50-2, 4591-50-3, 4591-50-9, 4580-4B, 4580-5

Kenndaten:

4577-1-200 swing frame Douglasie, AH 2.00 m, incl. PS
4577-1-250 swing frame Douglasie, AH 2.50 m, incl. PS
4577-2-200 swing frame Douglasie, long, AH 2.00 m, incl. PS
4577-2-250 swing frame Douglasie, long, AH 2.00 m, incl. PS

Item no.	4577-1-200 / 4577-1-250	4577-2-200 / 4577-2-250
Standing posts	Ø 160 mm	Ø 160 mm
Support beams	Ø 180 mm	Ø 180 mm
Total height	2160 / 2660 mm	2350 / 2850 mm
Swing length	2000 / 2500 mm	2000 / 2500 mm
Total length	4000 mm	6800 mm
Total width	2550 / 2800 mm	2600 / 4000 mm

Material: Douglasie, heartwood separated, glazed
steel post shoe, hot-dip galvanised

4580-2-200 Long steel tube swing frame, AH 2.00 m
4580-2-250 Long steel tube swing frame, AH 2.50 m
4580-3-250 'Junior' steel swing frame for bird's nest seats

Item no.	4580-2-200 / 4580-2-250	4580-3-250
Standing posts	Ø 76 mm	Ø 76 mm
Support beams	100 x 100 mm	100 x 100 mm
Total height	2100 / 2600 mm	2730 mm
Swing length	2000 / 2500 mm	2500 mm
Total length	6000 mm	4800 mm
Total width	4000 mm	4000 mm

Material: Hot galvanised steel

CERTIFICATE

No. Z2 017297 0535 Rev. 00

4591-50-1 Easy-Swing 'Maxi'
 4591-50-2 Easy-Swing 'Midi'
 4591-50-3 Easy-Swing 'Honeycomb Nest'
 4591-50-9 Easy-Swing 'Swing Bed'

Item no.	4591-50-1 / 4591-50-2	4591-50-3 / 4591-50-9
Standing posts	Ø 102 mm	Ø 102 mm
Support beams	50 x 50 mm	-
Total height	1300 mm	2200 / mm
Swing length	2000 mm	Depending on seat type, so that ground clearance is always > 400 mm
Total length	800 mm	Depending on seat type / 1800 mm
Total width	2300 mm	2500 / 2400 mm

Material: Hot galvanised steel

4580-4B Arch swing for setting in concrete

Standing posts	Ø 140 mm	
Support beams	Ø 140 mm	
Total height	3070 mm	2500 mm
Swing length	2500 mm	2200 mm
Total length	5300 mm	6700 mm
Total width	2000 mm	9000 mm

Material: Hot galvanised steel

4580-5 Spectacle frame

Dimensions (L x W x H): 6700 x 9000 x 2500 mm

Length of suspension: 2200 mm

Material: Base frame (3-piece) made of pine wood (glued laminated timber), including integrated steel plates as feet for dowelling

4576-1-220 Orlando swing frame

Dimensions (L x W x H): 1700 x 3200 x 2893 mm

Length of suspension: 1606 mm

Material: Base frame (7 parts) made of hot-dip galvanised steel

The swing frames listed may only be used in conjunction with certified (DIN EN 1176) swing seats.

Tested according to:

DIN EN 1176-1:2024
 EN 1176-1:2017/A1:2023
 DIN EN 1176-2:2020
 EN 1176-2:2017/AC:2019