



Product Service

CERTIFICATE

No. Z2 017297 0533 Rev. 00

Holder of Certificate:



Huck Seiltechnik GmbH
Netz- und Seilspielgeräte

Dillerberg 3
35614 Aßlar-Berghausen
GERMANY

Certification Mark:



Product:

Playground equipment

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.:

713383310-05

Valid until:

2030-11-25

Date,

2025-12-03

(Jens Biesenack)

CERTIFICATE

No. Z2 017297 0533 Rev. 00

Model(s):

4591-1-X, 4591-2-X, 4591-3-X, 4591-4-X,
4591-5-X, 4591-6-X, 4591-7-X, 4591-8-X,
4591-9-X, 4591-11-X, 4591-12-X,
4591-13-X, 4591-14-X, 4591-15-X, 4591-30-1-X,
4591-30-2-X, 4591-30-3-X, 4591-30-4-X,
4591-30-5-X, 4591-30-6-X, 4591-30-7-X,
4591-30-8-X, 4591-30-9-X, 4591-30-10-X,
4591-30-11-X, 4591-30-12-X, 4591-30-13-X,
4591-30-14-X, 4591-30-15-X, 4591-30-16-X,
4591-30-17-X, 4591-30-19-X, 4591-30-20-X,
4591-60-3-X, 4591-60-5-X, 4591-60-8-X,
4591-60-9-X, 4960-1-X, 4960-2-X,
4960-3-X, 4960-4-X, 4960-5-X,
4960-6-X, 4960-7-X, 4960-9-X

Parameters:

Haiger rope course, item no. 4591, consisting of:

4591-1-X swing seats, 4591-2-X rope ladder, 4591-3-X climbing net
4591-4-X tightrope, 4591-5-X rubber hammock, 4591-6-X rope ladder rungs,
4591-7-X bow rope, 4591-8-X hanging rope, 4591-9-X wobble beam,
4591-11-X Polyester hammock, 4591-12-X Climbing rungs,
4591-13-X Holding rings, 4591-14-X Handles, 4591-15-X Surfer

Length: 3000 mm

Width: max. 800 mm

Height: 1300 mm

Fun Course 2010 Item no. 4690 consisting of:

4960-1-X Adventure tunnel, 4960-2-X Loop bridge, 4960-3-X Small plates,
4960-4-X climbing game 3 ladder, 4960-5-X arch bridge, 4960-6-X bridge,
4960-7-X small plates, 4960-9-X horizontal bar

Length: 3000 mm

Width: max. 800 mm

Height: 1300 / 1700 mm

Adventure Course Dillenburg 4591-60 consisting of:

4591-60-3-X climbing net, 4591-60-5-X rubber belt mat, 4591-60-8-X hanging ropes,
4591-60-9-X Wobble beam

Length: 3000 mm, grid dimension

Width: 1000 / 2250 mm variable

Height: 2200 mm

CERTIFICATE

No. Z2 017297 0533 Rev. 00

Vario elements 4591-30 consisting of:

4591-30-1-X Vario element 1, 4591-30-2-X Vario element 2,
4591-30-3-X Vario element 3, 4591-30-4-X Vario element 4,
4591-30-5-X Vario element 5, 4591-30-6-X Vario element 6,
4591-30-7-X Vario element 7, 4591-30-8-X Vario element 8,
4591-30-9-X Vario element 9, 4591-30-10-X Vario element 10,
4591-30-11-X Vario element 11, 4591-30-12-X Vario element 12,
4591-30-13-X Vario element 13, 4591-30-14-X Vario element 14,
4591-30-15-X Vario element 15, 4591-30-16-X Vario element 16,
4591-30-17-X Vario element 17, 4591-30-19-X Vario element 19,
4591-30-20-X Vario element 20

Length: 2250 mm, grid dimension

Width: 1000 / 2250 mm variable

Height: 2200 mm

The X stands for the following variants of the posts:

S – Steel, St37-2, hot-dip galvanised

PS - Douglasie fir incl. hot-dip galvanised post shoe

R - Robinia, as grown, sapwood-free

Support posts: Steel Ø 60, 100, 102, 140, 159, 194 mm

Douglasie fir Ø 160, 180, 200 mm

Robinia Ø 160 – 400 mm

Ropes/nets: in Hercules quality

With steel insert, Ø16 mm

**Tested
according to:**

DIN EN 1176-1:2024

EN 1176-1:2017/A1:2023

DIN EN 1176-3:2017

EN 1176-3:2017