



Product Service

CERTIFICATE

No. Z2 017297 0525 Rev. 00

Holder of Certificate:



Huck Seiltechnik GmbH
Netz- und Seilspielgeräte

Dillerberg 3
35614 Aßlar-Berghausen
GERMANY

Certification Mark:



Product:

Playground equipment
Rope net pyramids

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 713239664-06

Valid until: 2027-02-23

Date, 2022-03-29

(Jens Biesenack)

CERTIFICATE

No. Z2 017297 0525 Rev. 00

Model(s):

**4595-1-Y-X, 4595-X, 4596-X, 4640-1-X,
4640-2-X, 4641-1-X, 4641-2-X, 4641-3-X,
4641-10, 4643-1B-X, 4643-2B-X,
4643-2B-10-X, 4643-3B-X, 4643-3B-10-X, 4644-1-X,
4644-2-X, 5000-4-4-X, 5000-6-4-X, 5000-6-4-10-X,
5000-6-6-X, 5000-8-6-X, 10.01.100-X, 10.02.100-X,
10.03.100-X, 10.04.100-X, 10.05.100-X**

Parameters:

Art.-No. / Name	l x w x h [m]
4595-1-Y-X Bridge with slide	2.50 x 1.84 x 2.74
4595-X Rope net tower 1	9.50 x 9.50 x 6.10
4596-X Rope net tower 2	8.00 x 8.00 x 4.40
4640-1-X X-Pyramid maxi	5.45 x 5.45 x 4.20
4640-2-X X-Pyramid midi	3.55 x 3.55 x 2.50
4641-1-X Super climb maxi	6.20 x 6.20 x 5.50
4641-2-X Super climb midi	6.10 x 6.10 x 3.95
4641-3-X Super climb mini	4.00 x 4.00 x 2.40
4641-10 Rope pyramid France	7.00 x 7.00 x 5.20
4643-1B-X Cheops pyramid mini	4.00 x 4.40 x 3.50
4643-2B-X Cheops pyramide midi	8.33 x 8.33 x 4.20
4643-2B-10-X Cheops combination midi	8.33 x 18.94 x 4.20
4643-3B-X Cheops pyramid maxi	11.00 x 11.00 x 5.70
4643-3B-10-X Cheops combination maxi	11.00 x 25.76 x 5.70
4644-1-X Triops pyramid mini	4.00 x 4.60 x 3.20
4644-2-X Triops - Combination Mini	4.50 x 5.60 x 3.20
5000-4-4-X rope pyramid Spider	6.00 x 6.00 x 4.35
5000-6-4-X rope pyramid Spider	8.75 x 8.75 x 6.40
5000-6-4-10-X rope pyramid Spider Combi	24.15 x 11.5 x 6.40
5000-6-6-X rope pyramid Spider	11.30 x 9.80 x 6.40
5000-8-6-X rope pyramid Spider	12.10 x 13.95 x 8.15
10.01.100-X Dino 1	9.55 x 9.55 x 6.15
10.02.100-X Dino 2	8.00 x 8.00 x 4.40
10.03.100-X Dino 3	5.60 x 5.60 x 3.20
10.04.100-X Dino XXL	9.55 x 9.55 x 8.20
10.05.100-X Dino Mini	3.68 x 3.50 x 2.44

CERTIFICATE

No. Z2 017297 0525 Rev. 00

The Y stands for the following variations of the posts:

- S - Steel, St37-2, hot-dip galvanized
- PS - Douglas fir incl. hot-dip galvanized post shoe
- R - Robinia, as grown, slint free

The X stands for the following variants of ground anchoring:

- EB - Set in concrete
- EG - Embedding (hot-dip galvanised anchor plates)
- AD - Dowelling (stainless steel anchor plates)

- Post: Steel Ø60, 100, 102, 140, 159, 194 mm
Douglas fir Ø160, 180, 200 mm
Robinia Ø160 - 400 mm
- Ropes/nets: in Hercules quality
with steel core, Ø16 mm

**Tested
according to:**

DIN EN 1176-1:2017
DIN EN 1176-3:2017
DIN EN 1176-11:2014
EN 1176-1:2017
EN 1176-3:2017
EN 1176-11:2014